

CASE REPORT

Open Access



Vernal keratoconjunctivitis in Down syndrome: a case report

Maria Cristina Artesani^{1*} , Mariacristina Esposito², Diletta Valentini³, Alberto Villani^{3,4}, Alessandro Giovanni Fiocchi¹ and Luca Buzzonetti²

Abstract

Background Down syndrome (DS) or Trisomy 21 is the most common chromosomal disease and is characterized by possible heart defects, cognitive impairment and visual disorders.

Case presentation We describe for the first time a 17-year-old Caucasian girl suffering from Down syndrome associated with vernal keratoconjunctivitis (VKC), a rare disorder of the anterior segment of the eye, characterized by intense photophobia, redness, watering eyes and itching due to an inflammatory-allergic reaction of the cornea and conjunctiva. On slit-lamp examination, the girl showed conjunctival hyperemia, papillary hypertrophy, giant papillae and corneal leukoma in right eye as a result of a previous corneal ulcer. A successful topical immunosuppressant therapy with cyclosporin 1% was started.

Conclusion So far, to our knowledge, this is the first description of VKC in a patient with DS. Finding an inflammatory-allergic disease such as VKC in DS is unusual but it must be taken into account because keratoconus, one of the most frequent eye pathologies in DS, can be secondary to an unrecognized VKC.

Keywords Down syndrome, Vernal keratoconjunctivitis, Keratoconus

Background

Down syndrome (DS) or Trisomy 21 is the most common chromosomal disease and is characterized by multiple malformations especially affecting the heart level, cognitive impairment and visual disorders. Recently, in a population of 1207 DS patients ophthalmological disorders were found up to 40.8%, mostly keratoconus (27.2%) and refractive error (35.9%) with the need for eyeglasses

[1] but so far never cases of vernal keratoconjunctivitis (VKC).

VKC is a rare disorder of the anterior segment of the eye characterized by intense photophobia, redness, watering eyes and itching [2] due to an inflammatory-allergic reaction of the cornea and limbal, tarsal (or both) conjunctiva [3, 4].

We describe here one case of Down syndrome associated with VKC.

Case presentation

After obtaining informed consent and authorization of our Ethics Committee, we describe the case of a 17-year-old Caucasian girl suffering from Down syndrome who came to our observation due to the appearance of bilateral conjunctivitis. The patient complained of ocular itching with eye rubbing, burning, watering and mucoid stringy discharge and intense photophobia. Skin Prick Tests (Lofarma, Milan, Italy) for a standard panel of

*Correspondence:

Maria Cristina Artesani
maria.c.artesani@opbg.net

¹ Allergy Unit, Bambino Gesù Children's Hospital, IRCCS, Piazza Sant'Onofrio 4 00165 Rome, Italy

² Ophthalmology Unit, Bambino Gesù Children's Hospital, IRCCS, Rome, Italy

³ Pediatric Unit, Pediatric Emergency Department, Bambino Gesù Children's Hospital, IRCCS, Rome, Italy

⁴ Chair of Pediatrics, Department of Systems Medicine, University of Rome "Tor Vergata", Rome, Italy






Fig. 1 Slit-lamp examination, right (a) and left eye (b)

inhalant allergens were performed with negative result. On slit-lamp examination, the girl showed conjunctival hyperemia, papillary hypertrophy, giant papillae in both eyes (Fig. 1) and corneal leukoma in right eye (Fig. 2). VKC was diagnosed and the disease activity was graded, according to the Bonini VKC severity score [5], as moderate at time visit, although a complication of VKC is already present: in fact, the right eye corneal leukoma is the result of a previous corneal ulcer. A successful topical immunosuppressant therapy with cyclosporine 1% was started.

Discussion and conclusions

To the best of our knowledge, at the time of writing, this is the first description of VKC in a patient with DS. In fact, in literature we have found no any other case of VKC as well as few studies on allergic disease in DS children, that probably indicates their poor likelihood of developing these diseases. Allergic sensitization is rare in DS individuals compared to the general population: they show low levels of specific IgE (7.6%) and fewer positive skin prick tests (18%) compared to non-DS children (40.2% and 54%, respectively) [6, 7]. Thus,

finding an inflammatory-allergic disease such as VKC in DS is unusual but nevertheless possible as demonstrated by our case. Furthermore in patients affected by VKC itching induces eye rubbing with corneal epithelium microtrauma and damage. This, in susceptible individuals, can lead to cytokines release, myofibroblastst differentiation, biomechanical forces change and corneal tissue thinning with development of keratoconus [8, 9], a frequent complication of both VKC [10] and DS [1]. Therefore, our case suggests important implications for diagnostic workup and treatment. Before starting a specific treatment, in presence of suggestive symptoms, health professionals should consider other causes of specific symptoms associated with eye disease in DS, such as inflammatory-allergic ones. In this way, tailored therapies could be applied and corneal transplantation, required in 0.2% of DS with keratoconus, could be avoided [1, 11].

Abbreviations

DS	Down syndrome
VKC	Vernal keratoconjunctivitis

Acknowledgements

Not applicable.

Authors' contributions

AMC contributed to the conception and design of study; AMC, EM contributed to the acquisition of data; AMC, EM, BL contributed to the interpretation of results and in drafting the manuscript; AMC, EM, BL, VD, VA, FAG revised manuscript. All authors approved the final version of manuscript. The manuscript has been read and approved by all the authors, the requirements for authorship have been met, and each author believes that the manuscript represents honest work.

Funding

All the authors declare no financial relationships with a commercial entity producing health-related products and or services related to this article. No honorarium, grant, or other forms of payment were given to anyone to write and to provide the manuscript.

Availability of data and materials

The datasets used and/or analysed during the current study are available from the corresponding author on reasonable request.




Fig. 2 Right eye corneal leukoma

Declarations

Ethics approval and consent to participate

All experimental protocol were approved by BambinoGesù Children's Hospital Ethics Committee.

Ethics approval and written informed consent were obtained from all participants or from a parent. All methods were carried out in accordance with the ethical standards as laid down in the 1964 Declaration of Helsinki and its later amendments.

Consent for publication

Written informed consent was obtained from patient's parent for publication of this case report.

Competing interests

All the authors declare no competing interest and no financial relationships with a commercial entity producing health-related products and or services related to this article.

Received: 31 August 2022 Accepted: 10 March 2023

Published online: 17 March 2023

References

- Bermudez BEBV, de Souza do Amaral ME, da Silva Gomes C, et al. Ophthalmological abnormalities in Down syndrome among Brazilian patients. *Am J Med Genet A*. 2020;182:2641–5.
- Jain US, Reddy M, Sangwan JC. Demographic and clinical profile of vernal keratoconjunctivitis at a tertiary eye care center in India. *Indian J Ophthalmol*. 2013;61(9):486–9.
- Addis H, Jeng BH. Vernal keratoconjunctivitis. *Clin Ophthalmol*. 2018;12:119–23.
- Bonini S, Bonini S, Lambiasi A, et al. Vernal keratoconjunctivitis revisited: a case series of 195 patients with long-term followup. *Ophthalmology*. 2000;107(6):1157–63.
- Bonini S, Sacchetti M, Mantelli F, Lambiasi A. Clinical grading of vernal keratoconjunctivitis. *Curr Opin Allergy Clin Immunol*. 2007;7(5):436–41.
- Eijsvoogel NB, Hollegien MI, Bok LA, et al. Lower percentage of allergic sensitization in children with Down syndrome. *Pediatr Allergy Immunol*. 2017;28:852–7.
- Mannan SE, Yousef E, Hossain J. Prevalence of positive skin prick test results in children with Down syndrome: a case-control study. *Ann Allergy Asthma Immunol*. 2009;102:205–9.
- Najmi H, Mobarki Y, Mania K, et al. The correlation between keratoconus and eye rubbing: a review. *Int J Ophthalmol*. 2019;12(11):1775–81.
- Scotto R, Vagge A, Traverso C. Eye rubbing and transient corneal ectasia detected by topography in a pediatric patient. *Cornea*. 2020;00:1–3.
- Wajnsztajn D, Solomon A. Vernal keratoconjunctivitis and keratoconus. *Curr Opin Allergy Clin Immunol*. 2021;21(5):507–14.
- Elubous KA, Al Bdour M, Alshammari T, et al. Environmental risk factors Associated with the need for penetrating Keratoplasty in patients with Keratoconus. *Cureus*. 2021;13(7):e16506.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

