

ERRATUM

Open Access



CrossMark

Erratum to: Worldwide Argus II implantation: recommendations to optimize patient outcomes

Devon H. Ghodasra¹, Adrienne Chen¹, J. Fernando Arevalo^{2,4}, David G. Birch⁵, Kari Branham¹, Brian Coley⁶, Gislin Dagnelie³, Eugene de Juan⁷, Robert G. Devenyi⁸, Jessy D. Dorn⁶, Andy Fisher⁹, Duane R. Geruschat³, Ninel Z. Gregori¹⁰, Robert J. Greenberg⁶, Paul Hahn¹¹, Allen C. Ho¹², Ashley Howson¹, Suber S. Huang¹³, Raymond Iezzi¹⁴, Naheed Khan¹, Byron L. Lam¹⁰, Jennifer I. Lim¹⁵, Kirsten G. Locke⁴, Michelle Markowitz¹⁶, Anne-Marie Ripley⁶, Mark Rankin¹⁷, Hannah Schimitzek¹⁸, Fay Tripp¹¹, James D. Weiland¹⁹, Jiong Yan²⁰, David N. Zacks¹ and K. Thiran Jayasundera^{1*}

Unfortunately, the original version of this article [1] contained an error. The second affiliation of Dr. J Fernando was not included. The correct version which is both affiliations is included here.

Retina Division, Wilmer Eye Institute, Johns Hopkins University School of Medicine, Baltimore, MD, USA, and the Vitreoretinal Division, King Khaled Eye Specialist Hospital, Riyadh, Kingdom of Saudi Arabia.

Author details

¹Kellogg Eye Center, University of Michigan, Ann Arbor, MI, USA. ²Retina Division, Wilmer Eye Institute, Johns Hopkins University School of Medicine, Baltimore, MD, USA. ³Wilmer Eye Institute, Johns Hopkins University School of Medicine, Baltimore, MD, USA. ⁴Vitreoretinal Division, King Khaled Eye Specialist Hospital, Riyadh, Kingdom of Saudi Arabia. ⁵Retina Foundation of the Southwest, Dallas, TX, USA. ⁶Second Sight Medical Products, Inc., Sylmar, CA, USA. ⁷University of California, San Francisco, CA, USA. ⁸The University of Toronto, Toronto, Canada. ⁹Focal Point, Bristol, UK. ¹⁰Bascom Palmer Eye Institute, University of Miami, Miami, FL, USA. ¹¹Duke University Eye Center, Durham, NC, USA. ¹²Wills Eye Hospital, Philadelphia, PA, USA. ¹³Retina Center of Ohio, South Euclid, OH, USA. ¹⁴Department of Ophthalmology, Mayo Clinic, Rochester, MN, USA. ¹⁵University of Illinois at Chicago Eye and Ear Infirmary, Chicago, IL, USA. ¹⁶Private Practice, Toronto, Canada. ¹⁷Canadian National Institute for the Blind, Toronto, Canada. ¹⁸Department of Ophthalmology, RWTH Aachen University, Aachen, Germany. ¹⁹Department of Ophthalmology, University of Southern California, Los Angeles, CA, USA. ²⁰Emory Eye Center, Atlanta, GA, USA.

Received: 27 May 2016 Accepted: 27 May 2016

Published online: 29 July 2016

Reference

1. Ghodasra DH, Chen A, Arevalo JF, Birch DG, Branham K, Coley B, Dagnelie G, de Juan E, Devenyi R G, Dorn J D, Fisher A, Geruschat D R, Gregori N Z, Greenberg R J, Hahn P, Ho A C, Howson A, Huang S S, Iezzi R, Khan N, Lam B L, Lim J I, Locke K G, Markowitz M, Ripley A-M, Rankin M, Schimitzek H, Tripp F, Weiland J D, Yan J, Zacks D N, Jayasundera K T. Worldwide Argus II implantation: recommendations to optimize patient outcomes. *BMC Ophthalmol*. 2016;16:52.

* Correspondence: thiran@umich.edu

¹Kellogg Eye Center, University of Michigan, Ann Arbor, MI, USA